

Pre-sale information

Chairs

All information can be found at www.etac.com

Date: 2024-05-23 Revision: 2.0

EN 12182:2012 / ISO 21856:2022		Wombat Solo	Wombat Living	x:panda shape TS
User guide no. for each product		M1160	M1075	M1616
User information in a format appropriate for use by people with visual, reading or cognitive disabilities	Web site	Etac.com (on product page under documents)		
	Comments	The latest version of all product User Manuals can be downloaded as a “pdf-file” from the web page. The manuals can be read with a “Read Out Loud” functionality in e.g Adobe Acrobat and /or printed in a larger size to accommodate persons with visual impairments. The user information is not available in Braille. Children and adult with cognitive impairments are only allowed to use this product under caregiver supervision.		
	User Guide section	-	-	-
Description of the Intended purpose, the intended user group and the intended environment(s)	Comments	-	-	-
	User Guide section	Intended purpose	Intended purpose	Intended purpose
Maximum and minimum user mass and maximum load	Comments	-	-	-
	User Guide section	mm (inch) kg (lb)	mm (inch) kg (lb)	mm (inch) kg (lb)
Maintenance instructions, if applicable	Comments	-	-	-
	User Guide section	Service & maintenance information	Service & maintenance information	Service & maintenance information
Cleaning description of the method and suitable cleaning materials, including precautions to avoid corrosion, if applicable	Comments	-	-	-
	User Guide section	Service & maintenance information	Service & maintenance information	Service & maintenance information
Disinfection description of the method and suitable materials, including any precautions to avoid corrosion, if applicable	Comments	-	-	-
	User Guide section	Service & maintenance information	Service & maintenance information	Service & maintenance information
Overall dimensions (width, length, height) in mm and its mass in kg, when ready for use and, if applicable, when it is	Comments	-	-	-
	User Guide section	mm (inch) kg (lb)	mm (inch) kg (lb)	mm (inch) kg (lb)

Pre-sale information

EN 12182:2012 / ISO 21856:2022		Wombat Solo	Wombat Living	x:panda shape TS
User guide no. for each product		M1160	M1075	M1616
folded or dismantled				
Mass in kg, if to be dismantled or has removable parts that has a mass > 10 kg	Comments	N/A	-	N/A
	User Guide section	mm (inch) kg (lb)	mm (inch) kg (lb)	mm (inch) kg (lb)
Used in combination with other products. Statement of which products and how it can be done in a safe way	Comment	N/A	N/A	N/A
	User Guide section	General, under Declaration of Conformity	General, under Declaration of Conformity	General, under Declaration of Conformity
Warning about dangerous combinations of devices and combination of flame resistant and non-flame-resistant material	Comments	-	-	-
	User Guide section	Safety section, Product	Safety section, Product	Safety section, Product
List of accessories, detachable parts and materials determined as being intended for use with the product	Comments	-	-	
	Web site	www.etac.com, under your device, in the accessories section.		
If programmable controller is fitted, information on the method of programming, the competence required to carry out the programming and the effects on performance	Comments	N/A	N/A	N/A
	User guide section	-	-	-
Operator control adjustments	Comments	-	-	-
	User guide section	Pictogram section	Pictogram section	Pictogram section

Pre-sale information

EN 12182:2012 / ISO 21856:2022		Wombat Solo	Wombat Living	x:panda shape TS
User guide no. for each product		M1160	M1075	M1616
Whether and how the product can be folded or dismantled to assist in storage or transport	Comments	-	-	
	User Guide section			 (ready for storage)  (ready for use)
Transport instructions (e.g. in car or aeroplane)	Comments	- Unoccupied device is suitable for land and air transport	- Unoccupied device is suitable for land and air transport	- Unoccupied device is suitable for land and air transport
	User Guide section	-	-	-
Measured sound power level	Comments	N/A	Electrical version: Noise level: ≤ 45 dB(A)	Electrical version Noise level: ≤ 45 dB(A)
	User guide section	-	-Technical Data	Technical Data