

Prio

Therapist		User
Phone no		Order date
Purchase Order no		Customer Ref
Base price	€XXX	Standard option included in base price
Colour	01 Black	



Item no	Seat width (sw)	Seat depth
13420405	40 cm	39-51 cm
13420409	45 cm	39-51 cm
13420413	50 cm	39-51 cm
13420417	55 cm	39-51 cm

OPTIONS

Seat depth	Config no	Item no
------------	-----------	---------



Settings

39-46 cm	position 1	Pre-set seat depth 42 cm	43098
41.5-48.5 cm	position 2	Pre-set seat depth 44.5 cm	43099
44-51 cm	position 3	Pre-set seat depth 47 cm	43101

Tilt & Recline	Config no	Item no
----------------	-----------	---------

Tilt -3° to +20° & Recline 0° to +30°

Manual tilt & recline



Attendant operated tilt & recline	Tilt lever on right push handle and recline lever on left push handle			43586
User operated self tilt	Mounted under arm support	Right	Left	28770
Manual back recline	Back recline lever on left push handle			43590-1/-2
Fixed back +5°, +10° or +15°	Pre-set at +10°			43589-1/-2

Electric tilt & recline



Electric tilt & recline	43261	28348
-------------------------	-------	-------

Not with dynamic pelvic support, comfort lock, QR-pin or oxygen holder.

Seating	Config no	Item no
---------	-----------	---------

Seat plate



Wood	
	without hook-and-loop
	with hook-and-loop
Plastic	
	without hook-and-loop
	with hook-and-loop

Config no	Wood without hook-and-loop	Wood with hook-and-loop	Plastic without hook-and-loop	Plastic with hook-and-loop
sw 40 cm	43578	43582	43086	43090
sw 45 cm	43579	43583	43087	43091
sw 50 cm	43580	43584	43088	43092
sw 55 cm	43581	43585	43089	43093

Seat cushion



Without seat cushion		
Basic	Short seat depth 50 cm	
	plush	43000-60 to 43003-60
	hygiene	43000-65 to 43003-65
	Tidy	43071-65 to 43074-65
	Long seat depth 56 cm	
	plush	43008-60 to 43011-60
	hygiene	43008-65 to 43011-65



Comfort

Short seat depth 50 cm

plush	28808-60 to 28811-60
hygiene	28808-65 to 28811-65
Tidy	28569-65 to 28572-65

Long seat depth 56 cm

plush	28812-60 to 28815-60
hygiene	28812-65 to 28815-65
Tidy	28565-65 to 28568-65

Short seat depth 50 cm	Basic plush	Basic hygiene	Basic Tidy	Comfort plush	Comfort hygiene
sw 40 cm	27751-60	27751-65	28055-65	27755-60	27755-65
sw 45 cm	27752-60	27752-65	28056-65	27756-60	27756-65
sw 50 cm	27753-60	27753-65	28057-65	27757-60	27756-66
sw 55 cm	27754-60	27754-65	28058-65	27758-60	27756-67
Long seat depth 56 cm					
sw 40 cm	27759-60	27759-65	-	27763-60	27763-65
sw 45 cm	27760-60	27760-65	-	27764-60	27764-65
sw 50 cm	27761-60	27761-65	-	27765-60	27765-65
sw 55 cm	27762-60	27762-65	-	27766-60	27766-65


Back supports

Config no

Item no

3A back support

lumbar angle -12° to +10°



Back height 46-62 cm

inkl tension adjustable back

pre-set back height 52 cm	sw 40 cm	43562
	sw 45 cm	43563
	sw 50 cm	43564
	sw 55 cm	43565

inkl tension adjustable back and dynamic pelvic support

sw 40 cm	43570
sw 45 cm	43571
sw 50 cm	43572
sw 55 cm	43573

Back height 52-68 cm

inkl tension adjustable back and 3A back extension item:

pre-set back height 58 cm	sw 40 cm	43562 + 28659	43566
	sw 45 cm	43563 + 28659	43567
	sw 50 cm	43564 + 28660	43568
	sw 55 cm	43565 + 28660	43569

inkl tension adjustable back, 3A back extension and dynamic pelvic support

sw 40 cm	43574
sw 45 cm	43575
sw 50 cm	43576
sw 55 cm	43577

Back cushions & covers

Config no

Item no

Back cushion

Standard, plush

43291-60 to 43294-60

Standard, hygiene

43291-65 to 43294-65

3D, plush

63343-60 to 63346-60

Cover, plush

43249-60 to 43252-60



	Standard, plush	Standard, hygiene	3D, plush	
sw 40 cm	28410-60	28410-65	63343-60	63339-60
sw 45 cm	28411-60	28411-65	63344-60	63340-60
sw 50 cm	28412-60	28412-65	63345-60	63341-60
sw 55 cm	28413-60	28413-65	63346-60	63342-60

Head supports

Item no

Head support



Traditional

26x14 cm incl turtle bar 350 mm

with plush cover	28534-60
with hygiene cover	28534-65

With side support

incl turtle bar 350 mm

with plush cover	28536-60
with hygiene cover	28536-65

Comfort lock				Config no	Item no		
	Without comfort lock			43295			
	With comfort lock						
		0°		43102			
		4°		43103			
		8°		43104			
		12°		43105			
Arm supports							
Arm support				Config no	Item no		
   	Standard arm pad L49		length 49 cm, width 8.5 cm				
	height adjustable 23.5-35 cm	depth adjustment of pad w tools	Right	Left	28827-1/-2		
	height adjustable 23.5-35 cm	depth adjustment of pad w fingerscrew	Right	Left	28828-1/-2		
	height adjustable 20-26 cm, Low	depth adjustment of pad w tools	Right	Left	28638-1/-2		
	Narrow arm pad L38		length 38 cm, width 5 cm				
	height adjustable 21.5-32.5 cm		Right	Left	28826-1/-2		
	height adjustable 18-23 cm, Low		Right	Left	28784-1/-2		
	R82 arm pad L37		length 37 cm, width 8 cm				
			Right	Left	28801-1/-2		
	Without arm pad			Right	Left	28832-1/-2	
	Leg supports (hangers)						
					Config no	Item no	
	Elevated		Prio incl calf support, hygiene		lower leg length 31-49 cm	Right	Left
				sw 40 cm		43392/43393	27857-65-1/-2
				sw 45 cm		43392/43393	27858-65-1/-2
			sw 50 cm		43392/43393	27859-65-1/-2	
			sw 55 cm		43392/43393	27860-65-1/-2	
Fixed angle		Swing away, detachable		lower leg length 31-49 cm			
			Wide angle 70°	Right	Left	25574-01	
			Narrow angle 80°	Right	Left	25570-01	
Amputee	  	Amputee support 25x15x4 cm		for sw 40-45 cm			
			Plush	Right	Left	25516-60	
			Hygiene	Right	Left	25516-63	
		Ampute support 25x20x6 cm		for sw 50-55 cm			
			Plush	Right	Left	26210-60-1/-2	
			Hygiene	Right	Left	26210-63-1/-2	
		Amputation weight		Right	Left	26876	
Foot supports							
				Item no			
Divided		Flip up		attachment tube:			
			standard	Right	Left		
			+10 cm	Right	Left		
Heel strap		for divided foot supports		24458			
One piece		Flip up					
							
		Divided standard		Divided +10 cm		One-piece	
		sw 40 cm	25644-1/2	25650-1/2		25937	
		sw 45 cm	25736-1/2	25737-1/2		25937	
		sw 50-55 cm	25646-1/2	25652-1/2		26853	

C6

20"	Aluminium	Stainless steel	Plastic coated
Solid	83885 (43724)	83910 (43825)	83911 (43726)
High pressure, Speedlite	83908 (43721)	83909 (43722)	83884 (43723)

22"			
Solid	83882 (43718)	83907 (43719)	83883 (43720)
High pressure, Speedlite	83880 (43715)	83906 (43716)	83881 (43717)

24"			
Solid	83876 (43711)	83877 (43712)	83878 (43713)
High pressure, Speedlite	83873 (43708)	83874 (43709)	83875 (43710)

16" Drum brake

16"	Manual	Electric tilt/recline	83283/83284
seat height 40-42.5 (incl spacer 28414)	43248	43277	-
seat height 45	23781	43276	-

C5 Drum brake

20"	Aluminium	Stainless steel	Plastic coated
Solid	81337 (23744)	-	-

22"			
Solid	81339 (23745)	-	-

24"			
Solid	81346 (23746)	81348 (43222)	81347 (43629)
High pressure	-	-	28626 (43307)

QR-axle


Not applicable for 16" wheels where axle is included with the wheel.



Axle QR D12,7x110	for C6 and Maxx	43727	83872
Axle QR Drum brake	for C5 Drum brake 20"-24"		81325

One arm drive

Drive unit	Right	Left	
20"			43224/43225 26534
22"			43226/43227 26533
24"			43228/43229 26522
Telescopic shaft			
sw 40 cm			27318
sw 45-50 cm			27319
sw 55 cm			27320

Seat height**Rear seat height**

Heavy to propel and hard to tip.

Efficient to propel and easy to tip.

	16"	20"	22"	24"
E	-	38 cm	40.5 cm	42.5 cm
D	-	40.5 cm	43 cm	45 cm
C	-	43 cm	45.5 cm	47.5 cm
B	40 cm	45.5 cm	48 cm	50 cm
A	42.5 cm	48 cm	50.5 cm	52.5 cm
a	45 cm	-	-	-
Ad	51.5 cm*	-	-	-

* only retrofit, requires adapter 28648 which is ordered as an accessory

Front seat height

	6" w front fork S	8" w front fork S
S1	-	-
S2	38-43 cm (24058)	-
S3	-	-
S4	45-45.5 cm (24060)	42.5-48 cm (24065)

	6" w front fork M	8" w front fork M
M1	-	45-48 cm (24061)
M2	42.5-45.5 cm (24055)	47.5-48 cm (24062)
M3	47.5-48 cm (24056)	47.5-48 cm (24063)
M4	50-50.5 cm (24057)	50-52.5 cm (24064)

Castors (see seat height chart below)			Config no		Item no
6" 8"		150 x 34	seat height 38-50.5 cm		28922
		200 x 38	seat height 42.5-52.5 cm		28526
Front forks (see seat height chart below)			Config no		Item no
S M		Steel	seat height 38-48 cm		24038
		Steel	seat height 42.5-52.5		28969
Front fork housings (see seat height chart below)			Config no		Item no
Standard Widened		H100	seat height 38-52.5 cm		80606 28147
		H100	seat height 38-52.5 cm		22017 25763
Brakes			Config no		Item no
Knee lever brake		Red angled handle	Right	Left	43246-1/-2 * 43243-1/-2 * 27951-1/-2
		Black angled handle	Right	Left	43245-1/-2 * 43242-1/-2 * 27894-1/-2
		Extended foldable handle	Right	Left	43247-1/-2 * 43244-1/-2 * 27895-1/-2
		* config no is brake with adapter for 16"/20" and 22" wheels			
One hand brake		Extended foldable handle not with brake adapter	Right	Left	27531-1/-2
Brake adapter		16" and 20"			28654
included in configuration		22"			28403
Push handles			Config no		Item no
Push handles		Height adjustable	100 mm handle	43122	
			with recline lever	28219-01	
			with tilt lever	28220-01	
Push handles with drum brake		Height adjustable	100 mm handle and 100 mm brake grip	43123	
			with recline lever	28221-01	
			with tilt lever	28222-01	
Bow handle		Height adjustable			
		Height & angle adjustable			
					
		Height adjustable	Height & angle adjustable		
		sw 40 cm	25580-01 (43137)	27163 (43141)	
		sw 45 cm	25582-01 (43138)	27165 (43142)	
		sw 50 cm	25583-01 (43139)	27167 (43143)	
		sw 55 cm	26069-01 (43140)	-	
Back support locking			Config no		Item no
Locking pin		std	43223	83037/83003	
		el-tilt	43262	83037/83003	
		QR	83159	83159	
Anti tips			Config no		Item no
Anti tips multi cc59		applicable for all seat heights	284570	28457	

ACCESSORIES

Arm supports					Pieces	Item no
Hemi arm support		horizontal rotation	for item 28826-1/-2	Right	Left	25770-60-1/-2
Wide and soft arm pad		8 x 40 cm	for item 28826-1/-2			2 26873
		Hemi arm pad (fixed)	for item 28827-1/-2 and 28828-1/-2			2 28640
Cover		L49 cm, padded plush	for item 28827-1/-2 and 28828-1/-2	Right	Left	2 63193-60-1/-2
		L38 cm	for item 28826-1/-2			
Side guard pad		padded plush				2 62283-60
		padded hygiene				2 62283-63
		gel plush				2 26241-60
		gel hygiene				2 26241-63
		Prio	reduce the seat width 30mm/pair	Right	Left	63271-1/-2
		Side pads, pair	reduce the seat width 25mm/pair			28021

Attachments for medical devices					Pieces	Item no
Crutch and cane holder		Universal			1	27327
IV stand		For two IV bags complete with attachment Not with tray.			1	28341
Oxygen holder		Basket for oxygen tube, maximum load 5 kg Only for seat height over 43 cm. Not in combination with Electrical tilt or Lille Viking.			1	28316

Back cushions & covers					Config no	Item no
Extender		Cushion extension				
		sw 40 cm				28787-65
		sw 45 cm				28788-65
		sw 50 cm				28789-65
		sw 55 cm				28790-65
		Back upholstery extension	sw 40-55 cm			28657

Head supports						Item no
R82		Anatomic head support	w black turtle bar 25 cm			
		medium				319945493-83
		large				319967493-83
Memory function		Memory function	for head support			28564

Leg and foot supports					Pieces	Item no
Divided foot supports		Flip up	-8 cm attachment tube	Right	Left	
		sw 40 cm				25656-1/2
		sw 45 cm				25738-1/2
		sw 50-55 cm				25658-1/2
Foot support extension		Extension, plastic	for right & left foldable foot support			
		sw 40 cm				2 50798
		sw 45 cm				2 50799
		sw 50-55 cm				2 50800

Add-on extension

Footsupports right and left, mounted with add-on extensions metal and guide to link right & left extension

sw 40 cm	25644-1/2 + 28775-1/-2 + 28773	28662
sw 45 cm	25736-1/2 + 28775-1/-2 + 28773	28663
sw 50 cm	25646-1/2 + 28776-1/-2 + 28773	28664
sw 55 cm	25646-1/2 + 28776-1/-2 + 28773	28665



Extension, metal	for right & left foldable foot support	
Small, one piece	sw 35-50 cm	28774
Medium	sw 40-45 cm	Right Left 28775-1/-2
Large	sw 50-55 cm	Right Left 28776-1/-2

Guide to link right & left extension into one piece 28773

Side protection	for extension, metal	2	28772
-----------------	----------------------	---	-------

Foot box



Foot box	Soft padded	
Medium	sw 40-45 cm	28642
large	sw 50-55 cm	28643

Thigh support



Distal thigh support	for fixed leg supports,	Right	Left	28777-1/-2
Not with lockable or elevated leg supports				

Cover foot support



For flip up foot plates	padded plush			
	sw 40-45 cm	Right	Left	63189-60-1/-2
	sw 50-55 cm	Right	Left	63192-60-1/-2

For one piece foot plate	padded plush			
	sw 40-45 cm			63190-60
	sw 50-55 cm			63191-60

Calf support



Cover, hygiene	for elevated leg support item 26100	2	62762-63
----------------	-------------------------------------	---	----------

Calf strap	adjustable in length			
	sw 40 cm			27909
	sw 45 cm			27919
	sw 50 cm			27920
	sw 55 cm			27921

Padding for calf strap				
	20 cm			26845
	30 cm			26846
	40 cm			26847

Panel	Plush			
	75 cm (sw 40-45 cm)			63186-60
	90 cm (sw 50-55 cm)			63187-60

Postural supports

Pieces

Item no


Positioning belt




Attachment positioning belt	Set of 2	28641
-----------------------------	----------	-------



2 point, plastic push release			
	100 cm		27904
	128 cm		28544

Wedge



Soft	Plush		
	Short, 15 cm	2	63012-60
	Long, 30 cm	2	63013-60
Cell foam	Polyethylene		
	90 x 20 x 130 mm		28030
	110 x 20 x 185 mm		28139
	175 x 25 x 200 mm		28140

Lateral support		Side cushion	Right	Left	63171-60-1/-2
		Side stop, straight	gives extra support to side cushion		28136
Back width extension		Width extension, 30 mm	combine with wedges		28173
		Back widening			28786
		Pressure distributor	padded cover with flexible insert		28637
Trunk support 3A		Swing away & detachable	Adjustable in height, depth and width		
		0 mm (straight profile)	Right	Left	28181-1/-2
		-15 mm	Right	Left	28180-1/-2
		-45 mm	Right	Left	28141-1/-2
		Detachable	Adjustable in height, depth and width		
		0 mm (straight profile)			28142
		+15 mm			28143
		-15 mm			28144
		-45 mm			28145
		Adapter kit	allows for mounting R82 pad on to Swing away & detachble trunk support attachment		28240
Cover for trunk support		Swing away R82 pad	Adjustable in height and depth		
		Medium	Right	Left	27915-1/-2
		Large	Right	Left	27916-1/-2
		Soft cover	Fits item 28142, 28143, 28144, 28145, 28181-1/-2, 28180-1/-2, 28141-1/-2		28647
Attachment for harness		Upper attachment	to be mounted on head support stem 15x15 mm		28186
Seating					PiecesItem no
Widening kit		sw +2 cm			27892
Velcro		Velcro seat compl L300	For retrofitting		28183
Tilt and recline					PiecesItem no
Actuator limiters		Clips angle restriction	recline restriction of tilt and/or back		28163
		Back angle control	forward limitation of back angle		28573
		Tilt limitation forward	forward tilt lock: 0°, 4°, 8° or 12°		28802
		Lever locking device	lock for tilt and/or back lever		28047
Pinch protection		Safety edge Prio 16 cpl*			28415
*When retrofitting electric tilt Prio with 16" wheels (from series number 38C), pinch protection must be installed.					

Trays		Pieces		Item no
Tray		Transparent	for arm support L49: 28827-1/-2, 28828-1/-2 and L37: 28801-1/-2	
		sw 40 cm inkl attachment strap	27971	
		sw 45 cm inkl attachment strap	27972	
		sw 50 cm inkl attachment strap	27973	
		sw 55 cm inkl attachment strap	27974	
		sw 40 cm with widening kit (sw 42.5 cm) exkl attachment strap	24601	
		sw 45 cm with widening kit (sw 47.5 cm) exkl attachment strap	26021	
		sw 50 cm with widening kit (sw 52.5 cm) exkl attachment strap	26907	
		sw 55 cm with widening kit (sw 57.5 cm) exkl attachment strap	-	
		Attachment strap	82921	
		Transparent	for arm support L38: 28826-1/-2	
		sw 40 cm inkl attachment strap	25188	
		sw 45 cm inkl attachment strap	25731	
		sw 50 cm inkl attachment strap	26020	
		sw 55 cm inkl attachment strap	26022	
		sw 40 cm with widening kit (sw 42.5 cm) inkl attachment strap	24419	
		sw 45 cm with widening kit (sw 47.5 cm) inkl attachment strap	24601	
		sw 50 cm with widening kit (sw 52.5 cm) inkl attachment strap	26021	
		sw 55 cm with widening kit (sw 57.5 cm) inkl attachment strap	26907	
		Hemi tray		Transparent
sw 40 cm	26566			
sw 45 cm	26568			
sw 40 cm with widening kit (sw 42.5 cm)	26567			
sw 45 cm with widening kit (sw 47.5 cm)	26569			
		Anti glide	for hemi tray	
		81633		
Half tray		Foldable	Right	Left
		27352-1/-2		
Attachment for tray		Round tubes	fits tubes up to Ø 18mm	Right
		Left	27956-1/-2	
Wheels		Pieces		Item no
Spokeguard		Transparent	for C6 and Maxx	
		20"	2	28934
		22"	2	28935
	24"	2	28936	
		Transparent	for C5 DB	
		20"	2	28816-28
22"		2	28817-28	
24"		2	28818-28	
Adapter 16" wheels			for seat height 51.5 cm, position Ad	
		28648		

Etac Supply Center AB
 Phone: +46 371 58 73 30
 Mail: Info@etac.com
 Website: www.etac.com