R82 Stingray - E1233

USD Retail Price List/ Order Form

Account #:	Purchase Order No.:		Date:	
Contact:	·····	Mark For:		
Bill To:		Ship To:		
Address:		Address:		
City/State/Zip:				
Phone:		City/State/Zip:		
Fmail		Phone:		

US Configuration Effective: 01.10.24 - Rev 11

- \square Frame (Stingray, Trekker, High-Low:v)
- ☐ Stingray Seat
- ☐ Cushions
- ☐ Head Support
- ☐ Side Support
- ☐ Hip Support ☐ Pommel
- ☐ Vests and Belts
- ☐ Tray
- □ Transport Fittings

Approx. Maximum User Height





- A (Back Height)
- **B** (Arm Height)
- C (Lower Leg Length)
- **D** (Seat Depth)
- E (Chest Width)
- F (Seat Width)
- **G** (Height: Seat to Top of Head)
- H (Shoulder Width)
- Age
- Weight

Size 2

471/2"

Measurements





	0120 1	0.20 2
	Inches	Inches
Effective Seat Width (A)	7-11¾"	9-13¾"
Seat Width Between Knee Supports	11"	12¾"
Seat Width Between Hip Supports (Accessories)	7", 8½", 10¼"	9", 10½", 12"
Effective Seat Depth (B)	7 - 11¾"	9¾ - 15½"
Back Height at Shoulders (C)	10½ - 16"	14 - 19¾"
Backrest Height (C1)	16 - 21½"	19½ - 25¼"
Footrest to Seat Distance (D)	5½ - 17½"	5½ - 17½"
Seat Surface Height at Front Edge (E)	201/4"	201⁄4"
Back Width, Inside (F)	11¾"	14"
Back Width, Outside (F1)	17½"	201⁄4"
Overall Width (G)	23"	23"
Length with Turnable Front Wheels (H1)	28¾"	28¾"
Length with Large Front Wheels	32¾"	32¾"
Overall Height, Push Brace 15° (I)	39", 40", 41¼"	39", 40", 41½"
Foot Plate, Width x Depth	12" x 7¾"	12" x 7¾"
Folded Length	35"	35"
Folded Height	19"	19"
Total Mass, Frame	29½ lbs.	29½ lbs.
Total Mass, Seat	12 lbs.	14½ lbs.
Max Load	88 lbs.	88 lbs.
Back Recline / Seat Plane Angle	Back: 170° / Seat: 45°	Back: 170° / Seat: 45°
Approx. Minimum User Height	29½"	35½"

36"

NOTES:		

Stingray Standard Features

- Tilt-in-Space 45°
- Back Recline 170°
- Turnable Seat 180°
- One-Size Frame

- Accepts Two Seat Sizes for Maximum Growth Potential
- Adjustable Seat Depth
- Adjustable Back Height
- Suspension



Description	Part No.	USD Price HCPCS
□ Solid Tires, Individual Wheel Locks	8724212	\$2.615 E1233
☐ Solid Tires, Individual Wheel Locks & Hand Brakes ••	8724211	\$3,017 E1233
☐ Solid Tires, Central Wheel Locks	8724222	\$2,723 E1233
☐ Solid Tires, Central Wheel Locks & Hand Brakes	8724221	\$3,123 E1233
☐ Solid Tires, Individual Wheel Locks & Quick Release Rear Axels	8722212	\$2,882 E1233
•• Custom order; Approx. lead time: 6-8 weeks. Non-returnable item		

Trekker Frame Standard Features Or Stingray....



- Tilt-in-Space (-10° to +45°)
- 180° Reversible Seating Configuration
- Single Foot Activated Wheel Lock Bar
- \bullet 7½" x 2" Front and 11½" x 2½" Rear Solid Tires
- Quick Release Rear Wheels
- Made in the USA
- Transit Option Transit Ready Frame Only

Description	Part No.	USD Price	HCPCS
□Trekker Frame <i>(TR)</i>	C904661	\$2,626	E1234
□ Trekker Frame - Transit Ready <i>(TR)</i>	C905362	\$2,845	E1234
☐ Stingray Seat Module - Interface Adaptor Kit for Trekker Base ◆	C905363	N/C	
♦ Required with Trekker Frame			
Description	Part No.	USD Price	HCPCS
□Transit Option <i>(TR)</i>	C904576	\$219	
☐Using other manufacturer's Head Support	C995681	N/C	
♦Requires Head Support & Pelvic Positioning Belt			
Description	Part No.	USD Price	HCPCS
□ Height Adjustable Push Handle w/Outside Mount <i>(TR)</i>	C904688	N/C	
^Trekker Frame comes standard with push buttons mounted inside Heigh	ht Adjustable Pu	sh Handle	
Description	Part No.	USD Price	HCPCS

Description	Fait NO.	USD FIICE TICECS
☐ 12½ x 2" Rear Solid Knobby Tire (TR) ••	C904117	\$218
☐ 7½" x 2" Front & 11½" x 2½" Rear Pneumatic Knobby Tires (TR) ••	C904118	\$327
● Custom order; Approx. lead time: 6-8 weeks		

Trekker Frame Accessories	s Description	Measurements	Size	Part No.	USD Price	HCPCS
	□IV Pole (height adj. & collapsible) (TP) Anti Tinnor Poquirod	One Size	C904566	¢21 <i>1</i>	K0105
	☐ O2 Tank Holder (TR) *°	(17) Anti-Tipper Required	One Size	C904565	\$187	E2208
	□ LTV Ventilator Holder (TR) °		One Size	C904671	\$481	E1029
	□ Ventilator/Suction/Hard Tray (TR))	One Size	C904595	\$481	E1029
	☐ Curb Tipper (TR)	<i>y</i>	One Size	C905310	\$105	L1020
	☐ Rear Anti-Tipper (TR)		One Size	C904649	\$123	E0971
	☐ Under Seat Storage Basket (TR)		One Size	C904605	\$128	
	☐ Medical Necessity Storage Bask		One Size	C904606	\$315	
	* Must Be Removed During Trans					
	° Manufacturer Installation Requir					
High-Low Frame (Trekker)	Description		Size	Part No.	USD Price	HCPCS
	•					
	☐ High-Low:x sz 1, Manual Lift		1.0	89010522	¢4 049	
Q 30	☐ Push Brace - Fixed Angle		1,2 One Size	890009-04	\$1,948 \$195	
20	☐ Push Brace - Angle Adjustable		1,2	8910555	\$412	
Op.	Li Pusii Brace - Arigie Aujustable		1,2	0910000	Φ412	
High-Low Frame (Stingray)	Description		Size	Part No.	USD Price	HCPCS
	☐ High-Low:v Indoor Frame		1	89040522	\$2,086	
	☐ High-Low:v Indoor Frame		1, 2	89050522	\$2,000	
	☐ Push Brace - Fixed Angle		One Size	890009-04	\$195	
	☐ Push Brace, Angle Adjustable		One Size	8910555	\$412	
	The desir brace, Angle Adjustable		Offic Offic	0310333	ΨτιΖ	
Stingray Seat	Description		Size	Part No.	USD Price	HCPCS
	☐ Seat and Back size 1		1	8711120		
	☐Seat size 1		1	x8711000	\$438	E2292
	☐Back size 1		1	x8712000	\$541	E2291
	☐ Seat and Back size 2		2	8712220	•	
Se Fil	☐Seat size 2		2	x8721000	\$438	E2292
	□Back size 2		2	x8722000	\$541	E2291
	■ Fully Reclining Back (Required)		One Size	x8702000	\$433	E1014
	Adjustable seat depth and heigh	nt adjustable back				
	Description		Size	Part No.	USD Price	HCPCS
	Required, must select a color					
	X = Color					
	□ Blue = 1 □ Red = 2					
	\square Pink = 5 \square Grey = 4					
OCT TO	☐ Seat and Back Cushion (Pr.)		1	875051x	N/C	
	☐ Seat and Back Cushion (Pr.)		2	875052x	N/C	
	*Colors Green, Orange & Yellow a	vailable as a custom order; A				ble item
	Description	Macauramanta	Cino	Dowt No.	LICD Dries	HCDCS
0	Description	Measurements	Size	Part No.	USD Price	погоз
	☐ Footrest Rod, Elevating ◆	81⁄4"	Short	x8711100	\$118	K0108
	☐ Footrest Rod, Elevating ◆	11"	Long	x8712200		K0108
Ψ	♦ Required with Angle Adjustable		J			
			0 0.	0740040	A100	1/00 10
	☐ Angle Adjustable Footplate ◆	Long (v8711100 or v0712200)	One Size	x8710010	\$102	K0040
	▼Requires Footrest Roa Shoft Of	Long (xor 11100 of x8/12200)				

Accessories	Description	Measurements	Size	Part No.	USD Price	HCPCS
	☐ Transit Option*		One Size	8720902	\$214	
	Description	Measurements	Size	Part No.	USD Price	HCPCS
	☐ Hip Supports, Black (Pr.)	6½" x 7"	1	8740230	\$241	E0956
	☐ Hip Supports, Black (Pr.)	7" x 8½"	2	8740240	\$241	E0956
	☐ Hip Supports, Pad, Black (Pr.) ♦		1	8740250	\$241	E0956
	☐Multi-Adjustable, Removable Ha	ardware (Pr.) (Required) ♦	1	x8740250	\$241	E1028
	☐ Hip Supports, Pad, Black (Pr.) ◆		2	8740260	\$241	E0956
	□Multi-Adjustable, Removable Ha	ardware (Pr.) (Required) ♦	2	x8740260	\$241	E1028
	♦ Hip Support and Multi-Adjustable	Hardware must be ordered	together			
c	☐ Side Supports, Multi Adjustable (Pr.)	4" x 4"	1	8720301	\$0	E0956
	☐ Side Supports, Multi Adjustable (Pr.)	5" x 5 ³ / ₄ "	2	8720302	\$0	E0956
	Description	Measurements	Size	Part No.	USD Price	HCPCS
	□ Covers for Knobs on Side Suppor •• Custom order; Approx. lead time	` ,	One Size	8720360	\$33	
	☐ Medial Thigh Support (Ea.) ◆	3½" x 1½" x 2¾"	1	8720501	\$144	E0957
	☐Adjustable, Removable Hardwa	re (Required) ♦	1	x8720501	\$176	E1028
	☐ Medial Thigh Support (Ea.) **	3½" x 3½" x 3½"	2	8720502	\$144	E0957
	☐Adjustable, Removable Hardwa		2	x8720502	\$176	E1028
84/	☐ Medial Thigh Support (Ea.) **	3½" x 3½" x 4¾"	3	8720503	\$144	E0957
	☐Adjustable, Removable Hardwa		3	x8720503	•	E1028
	◆ Medial Thigh Support and Adjusta				ΨΠσ	21020
	☐ Anti-Thrust Wedge, Black (Pr.)	4" x 6"	1, 2, 3	8910400-3	\$49	K0108
-	Description	Measurements	Size	Part No.	USD Price	HCPCS
			_	0740040	4044	E0055
	☐ Contoured Headrest, Black		1	8740810	\$214	E0955
	☐ Contoured Headrest, Black		2	8740820	\$214	E0955
	☐ Sculpted Head Support 1	9½" x 4½"	Small	8720831	\$219	E0955
	☐ Sculpted Head Support 1	11" x 5 ³ / ₄ "		8720832	\$219	E0955
	Preferred option for Stingray sea		Large	6720632	Φ219	E0933
_ В	☐ Anatomic Head Support ◆	A:5½ x B:5½ x C:9½"	Small	5099001	\$273	E0955
	☐ Head Support Cover (Required)		Small	9923-83	N/C	_5550
A	☐ Anatomic Head Support ◆	A:6 x B:5½ x C:10"	Medium	5099002	\$273	E0955
	☐ Head Support Cover (Required)	A D.0/2 A 0.10	Medium	9945-83	N/C	_5555
	☐ Anatomic Head Support ◆	A:6½ x B:5½ x C:12½"	Large	5099003	\$273	E0955
© C	☐ Head Support Cover (Required)	Λ.U/2 Λ ⊔.U/2 Λ U. IZ/2	Large	9967-83	Ψ273 N/C	L0900
	◆ Turtle Bar System Short or Long	Required; 98619-25 or 98619		5501-05	IN/C	
RT	Curing away Maynting Bunglest	. Hoight Donth Angles	nd l starel	Adiustabla		
	Swing-away Mounting Brackets				#040	E4000
	☐ Turtle Bar System ◆	A: 5", B: 4-8½"	Short	98619-25	\$246	E1028
A)	☐ Turtle Bar System ◆	A: 10", B: 4-8½"	Long	98619-26	\$246	E1028
	◆ Required with Anatomic Head Su	pport; 5099001, 5099002 or (5099003			

Accessories	Description	Measurements	Size	Part No.	USD Price	HCPCS
	☐2-Part Headrest		One Size	8720870	\$289	E0955
^ -	☐ Headrest Fittings ◆		One Size	8720850	\$54	K0108
9	(Mounts directly onto backrest)		0110 0120	0.2000	Ψ0.	110100
	☐ Universal Headrest Mount		One Size	87590	\$66	E1028
	◆Required when using other ma	anufactures Head Support				
	Allow most Whitmyer, Stealth, C contact Customer Service for co		nt to our prod	ucts (x:panda,	Serval, etc.). I	Please
	Other types of headrest avai	lable, please see Head Sup	ports Order	Form		
	Description	Measurements	Size	Part No.	USD Price	HCPCS
	■ XX = 60 (Black)	0	a			
	□ Cross Vest (Ea.)	S-P: 7¾-12½"	XS	85720-XS	\$203	E0960
	☐ Cross Vest (Ea.)	S-P 101/4-131/2"	S	85720-S	\$203	E0960
	☐ Cross Vest (Ea.)	S-P: 13½ - 17¾"	M	85720-M	\$203	E0960
	☐ Cross Vest (Ea.)	S-P: 17¾-20¾"	L	85720-L	\$203	E0960
	☐ Cross Vest (Ea.)	S-P: 20¾ - 24 ½"	XL	85720-XL	\$203	E0960
A A	□Vest (Ea.)	11/4" x 21/2" x 51/2" x 31/2" x 11"	0	89111-0XX	\$214	E0960
C BB	□Vest (Ea.)	11/4" x 21/2" x 53/4" x 41/4" x 12"	3/4	89111-075XX	,	E0960
	□Vest (Ea.)	2¼" x 2½" x 7" x 5" x 13¼"	1	89111-1XX		E0960
D	□ Vest (Ea.)	2½" x 3½" x 9¼" x 5½" x 15¼"	2	89111-2XX		E0960
E	□ Vest (Ea.)	2¾" x 4¾" x 11 x 5¾" x 18¼"	3	89111-3XX	\$214	
	□Vest (Ea.)	2¾" x 6¾"x 13¾" x 7½" x 19"	4	89111-4XX	\$214	E0960
	☐Torso vest (Ea.)	S-P: 7¾-10¾"	XS	85705-XS	\$214	
	☐Torso vest (Ea.)	S-P: 10¾-12½"	S	85705-S	\$214	E0960
	☐ Torso vest (Ea.)	S-P: 12½–16"	M	85705-M	\$214	E0960
	☐ Torso vest (Ea.)	S-P: 16–18½"	L	85705-L	\$214	
TIL ION	☐ Torso vest (Ea.)	S-P: 18½-20½"	XL	85705-XL	\$214	
	☐ Torso vest (Ea.)	S-P: 20½–23½"	XXL	85705-XXL	\$214	E0960
	☐4-Point Padded Hip Belt, 1"	H-H: 6¾–12½"	XS	85725-XS	\$144	E0978
\ /.	□ 4-Point Padded Hip Belt, 1"	H-H: 81/4-133/4"	S	85725-S	\$144	E0978

Max: 22", A: 131/2-201/2"

H-H: 9¾-16¼"

H-H: 121/2-171/4"

H-H: 161/4-201/2"

L: 13-141/2"

M

XL

1

One Size

One Size

One Size

85725-M

85725-L

85424-1

862109-35

85096

85102

85725-XL

\$144 E0978

\$144 E0978

\$144 E0978

\$104 E0978

\$39 K0040

\$54 K0040

\$45

□4-Point Padded Hip Belt, 1"

☐4-Point Padded Hip Belt, 1"

☐4-Point Padded Hip Belt, 1"

☐2-Point Pelvic Belt, Black

☐ Fix-Locks, Black, Bag of 6 Pcs ◆

♦ Required for use of Vests

☐ Foot Straps, Plastic Lock (Pr.)

☐ Foot Straps, Velcro (Pr.)

Accessories	Description	Measurements	Size	Part No.	USD Price	HCPCS
	☐ Folding Top (Canopy), Black ☐ Folding Top (Canopy), Black		1 2	8740110 8740120	\$353 \$353	
	☐ Foam Back Plate •• ☐ Foam Back Plate ••	5" x 12" 5½" x 13¾"	1 2	8776325 8776326	\$25 \$25	
	Future Growth - Fills out the gap I ••Custom order; Approx. lead tim		item			
	☐ Tray with Edge, Grey ♦ ☐ Adjustable Removable Tray Har	17.3" x 13.3" dware ♦	One Size	8776350 x8776350	\$108 \$176	E0950 E1028
	♦Tray and Adjustable Removable		gether			
	□ Rain Cover ♦ □ Rain Cover ♦ ◆ Requires Folding Top (Canopy)		1 2	8720141 8720142	\$59 \$59	
	☐ Handle Grip ☐ Handle Grip	14" 16"	1 2	8720401 8720402	\$214 \$214	
	☐ Backpack, Black •• ••Custom order; Approx. lead tim	e: 6-8 weeks. Non-returnable	Small <i>item</i>	87043183-1	\$59	
	☐ Medical Essential Carrier		One Size	8720600	\$104	
	□ Vent Tray ◆*	13" x 17"	One Size	8776290	\$492	E1029
OF T	☐ O2 Tank Holder, Horizontal Mou *Cannot be used during transit ar		s required	8776295	\$374	E2208
	☐ O2 Tank Holder, Vertical Mounte *Cannot be used during transit ar		s required	8776296	\$110	E2208
	☐ IV Pole (height adj. & collapsible ☐ Mounting bracket for Stingray ba *Required with IV Pole #C904566	, . ,	One Size One Size	C904566 8776291	\$214 \$151	K0105
Spare Parts	Description	Measurements	Size	Part No.	USD Price	HCPCS
	Required, must select a color X = Color					
	☐ Blue = 1 ☐ Red = 2 ☐ Pink = 5 ☐ Grey = 4					
	☐ Seat and Back Cushion (Pr.) •• ☐ Seat and Back Cushion (Pr.) •• ••Colors Green, Orange & Yellow	available as a custom order;	1 2 Approx. lead	875051x 875052x time: 6-8 week	\$464 \$464 s. Non-return	able item
00	☐ Adductor Covers, Black (Pr.) ☐ Adductor Covers, Black (Pr.)		1 2	8750410 8750420	\$59 \$59	
	☐ Hardware Kit for Hip Supports, F	Fixed	One Size	872023-KIT	\$38	
	☐ Directional Arrow, Replacement		One Size	149889	\$6	

Spare Parts	Description	Measurements	Size	Part No.	USD Price HCPCS
P	☐ Release Strap for Back Angling		1	87102250	\$49
	☐ Release Strap for Back Angling		2	87102255	\$49
0	☐ Footrest Rod, Elevating	81/4"	Short	8775317	\$118
	☐ Footrest Rod, Elevating	11"	Long	8775318	\$118
	☐ Angle Adjustable Footplate		One Size	8775010	\$279

HCPCS codes are provided for your convenience and are NOT to be considered billing or legal advice. Providers are responsible for insuring that all appropriate billing codes are used when submitting claims. Proper use of HCPCS codes does not insure coverage or payment. Contact the appropriate payer for coverage information.

When being transported in a vehicle, it is R82's position that the wheelchair user transfer from the wheelchair into appropriate vehicle seating during transportation. Please note that at this time, the Department of Transportation has not officially approved any tie-down system for a user while in a wheelchair; therefore R82 cannot recommend a transit system.

The R82 Stingray mobility base was tested with a footrest and R82 transit anchors. The performance and safety of accessories and/or other seating options not tested by R82 is unknown, and no warranty or claim about their performance is or can be made.

Prices in USD & is subject to change without notice
For Quotes and Orders please send completed Order Form to: sales.us@etac.com or Fax: 1-800-760-0537

Etac 13137 Bleinheim Lane Matthews, North Carolina 28105 +1 844-US-MOBILITY (844-876-6245) www.etac.us.com

